

Applicant: Artig et al.

Serial No.: 10/663,297

Att'y Docket No.: 14374.27.1

Filing Date: September 15, 2003

Group: Unknown

X-RAY TUBE AND METHOD OF MANUFACTURE

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Issue Date</u>	<u>Name</u>
JW 1	2,986,533	05/30/61	Kurtz
JW 2	4,090,103	05/16/78	Machenschalk et al.
JW 3	4,104,532	08/01/78	Weiss
JW 4	4,184,097	01/15/80	Auge
JW 5	4,303,572	12/01/81	Hatanaka et al.
JW 6	4,468,802	08/28/84	Friedel
JW 7	4,619,963	10/28/86	Shoji et al.
JW 8	4,686,417	08/11/87	Noji
JW 9	4,744,944	05/17/88	Spencer et al.
JW 10	4,768,365	09/06/98	Spencer et al.
JW 11	4,884,292	11/28/89	Klostermann
JW 12	4,920,554	04/24/90	Gabbay et al.
JW 13	4,964,148	10/16/90	Klostermann et al.
JW 14	5,056,126	10/08/91	Klostermann et al.

Joseph Williams
Examiner:

3/15/04
Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


Applicant:
Serial No.:
Filing Date:
For:

Artig et al.
10/663,297

September 15, 2003

X-RAY TUBE AND METHOD OF MANUFACTURE

Att'y Docket No.: 14374.27.1
Group: Unknown



<u>AW</u> 15	5,604,784	02/18/97	Widlicka et al.
<u>AW</u> 16	5,802,140	09/01/98	Virshup et al.
<u>AW</u> 17	5,814,824	09/29/98	Hamby et al.
<u>AW</u> 18	5,863,492	01/26/99	Bose
<u>AW</u> 19	6,045,601	04/04/00	Tan
<u>AW</u> 20	6,062,731	05/16/00	Guzik
<u>AW</u> 21	6,134,299	10/17/00	Artig
<u>AW</u> 22	6,153,666	11/28/00	Lagace
<u>AW</u> 23	6,215,852 B1	04/10/01	Rogers et al.
<u>AW</u> 24	6,251,933 B1	06/26/01	Denny et al.
<u>AW</u> 25	6,340,626 B1	01/22/02	Desai et al.
<u>AW</u> 26	6,619,842 B1	09/16/03	Artig et al.

Foreign Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Publication Date</u>	<u>Country or Patent Office</u>
<u>AW</u> 27	P2001-273998A	10/05/01	Japan

Joseph Williams
Examiner:

3/15/04
Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Artig et al.

Serial No.: 10/663,297

Att'y Docket No.: 14374.27.1

Filing Date: September 15, 2003

Group: Unknown

For: X-RAY TUBE AND METHOD OF MANUFACTURE



References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\15436\253.85\KJB0000003363V001.doc

Joseph Williams
Examiner:

3/15/04
Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.